



Matrix Mirrors

Hanging Instructions - Vertical

For L1, L2, L3 and L4 style mirrors

DO NOT BEGIN THE INSTALLATION WITHOUT FIRST READING ALL SAFETY, HANDLING, AND CARE INSTRUCTIONS.

Safety Information

1. Matrix Mirrors fixtures must be installed in accordance with all applicable national, state, and local electrical codes and by a licensed electrician.
2. **TO AVOID THE RISK OF SHOCK OR FIRE, DISCONNECT POWER BEFORE INSTALLATION.**
3. Recommended two-person installation. This is especially important for mirrors larger than 24x36 | For mirrors larger than 36x60, consider having a glass professional present for the installation.
4. **NEVER** grasp the mirror frame or glass by the corners; they are sharp and can cause injury.
5. Matrix Mirrors' hanging brackets must be installed into studs or blocking. Sheet rock alone is insufficient; a mirror could fall if not properly installed in accordance with these instructions.
6. Matrix Mirrors is not responsible for damage or injury incurred during the installation process or for problems that arise if its products should be installed by an unlicensed person. See the full Matrix Mirrors Warranty Statement and Terms of Service on matrixmirrors.com.

Handling Instructions

1. Never place the mirror frame or glass on any surface by any of the four corners. This can lead to damage or breakage.
2. If the mirror must be removed from the wall, be sure to first disconnect the power, then remove the glass before dismantling the frame
3. Do not place the glass down on any hard surfaces such as hardwood, tile, granite, concrete, vinyl, or linoleum.
4. When storing the glass, either during installation or removal, always place two corners flush against the floor and two against a wall. All surfaces should be covered by a soft barrier such as foam, double-walled cardboard, a towel, or a blanket. It is also possible to lay the glass completely flat against a soft surface.



Matrix Mirrors


Hanging Instructions - Vertical

For L1, L2, L3 and L4 style mirrors

Care Instructions

1. If possible, turn off power to the mirror before cleaning.
2. Do not clean using abrasive cloths or paper towels as they can scratch the glass.
3. Do not spray chemicals or liquids on any part of the mirror - particularly the sides or edges of the glass or the diffusers along the sides of the mirror frame.
 - a. To clean the glass, apply a glass cleaning agent to a non-abrasive or microfiber cloth. Then gently wipe the glass being careful not to touch the corners of the glass or the frame.
4. Never apply pressure, pull down, or push up on the glass or frame as this could cause injury or damage.
5. No one other than a licensed and trained electrician should ever remove the mirror glass from the frame or uninstall the mirror from the wall.

PLEASE NOTE BEFORE INSTALLATION: The hanging orientation of the mirror should have been specified before ordering as **“Vertical”** or **“Universal.”** Mirrors specified as **“Vertical”** have 2 brackets affixed to the back of the mirror. **“Universal”** Mirrors have 3 brackets affixed to the back. As pictured here:



Vertical



Universal



Matrix Mirrors

Hanging Instructions - Vertical

For L1, L2, L3 and L4 style mirrors

Installation Guide

If a problem arises during the installation, please call Matrix Mirrors at 678-580-5717. Business hours are M-F 10:00am – 6:00pm ET. Or email admin@matrixmirrors.com.

Materials Provided:

Mirror Assembly

2 or more hanging brackets


Not provided:

Mounting screws


Junction box cover(s)

Step 1.

a. Begin after the installation of a junction box in the desired location. It should be installed at the center of the junction box area specified, for standard sizes, in the specification sheets found on matrixmirrors.com. For custom mirrors, install the junction box in the center of the junction box area specified on the provided drawings.



b. Find studs or install blocking in the designated mirror installation location. (See safety guidelines on page 1). Use a level and mark the desired location for the wall hanging brackets with a pencil. Then fasten the wall brackets using fasteners appropriate for the mounting substrate such as screws. The bracket should be snug, but do not screw it in too tightly or it may difficult to place the mirror frame. If the bracket is too tight and the frame will not easily slide into place, then loosen the mounting screws slightly and try again. The screws can be tightened again once the mirror is in place, however this may not be necessary. Larger sized mirrors may require more than one bracket.



Be sure to check the bracket(s) with a level before moving on.




Matrix Mirrors

Hanging Instructions - Vertical


For L1, L2, L3 and L4 style mirrors

Step 2.

c. Hold the mirror frame against the wall so the installed wall hanging bracket or brackets line up with the top of the frame as seen in the diagram. Slowly slide the mirror down until it slots into the wall hanging bracket(s). It can be moved left and right for alignment. The mirror frame should rest completely flush with the wall. The Mirror can also be hung from the crossbar if needed.




d. Place the smaller bracket against the lowest point of the mirror, flipped to the opposite direction of the wall hanging bracket(s). Lock the mirror frame to the wall by fastening it to the wall with the same fasteners used for the hanging brackets. This secures the frame to the wall, but allows for some movement left and right for alignment.



Step 3.

e. Read the label located on the mirror to verify the input voltage. Connect the wiring from the mirror to the corresponding connectors in the junction box using approved wire connectors. Be sure to pass the wires through a correctly sized junction box cover before completing the connection.



Step 4.

f. Screw the correctly sized junction box cover into place. Make sure any excess wire is tucked away or zip tied to ensure that it will not interfere with the glass installation.





Matrix Mirrors

Hanging Instructions - Vertical

For L1, L2, L3 and L4 style mirrors

Step 5.

g. **If there are two brackets on the glass**, then position the glass flat against the frame, but several inches higher so the brackets don't collide with it. Slowly slide the glass downwards until both brackets slot into place. Ensure that both brackets are seated properly, checking to be sure that no excess wire is caught between the glass and the frame. If placed properly, the glass should sit perfectly against the frame with no sizable gap.

h. **If there are three brackets on the glass**, then position the glass flat against the frame, but several inches up and to the left. Slowly slide the glass to the right until the vertical bracket slots into the frame. Then, slide downwards until the two horizontal brackets slot into place. Ensure that both brackets are seated properly, checking to be sure that no excess wire is caught between the glass and the frame. If placed properly, the glass should sit perfectly against the frame with no sizable gap.

